



## **Capillary Ultrafiltration Module**

## HYDRAcap<sup>®</sup> MAX 80

Performance <sup>1</sup>	Filtrate Flow: Filtrate Turbidity: Bacteria removal:	15.7 – 51.0 gpm (3.6 – 11.6 m³/h) ≤ 0.10 NTU ≥ 4 log
Туре	Configuration: Membrane Polymer: Nominal Membrane Area: Fiber Dimensions: Pore size:	Capillary Ultrafiltration Module PVDF 1130 ft <sup>2</sup> (105 m <sup>2</sup> ) ID 0.024" (0.6 mm), OD 0.047" (1.2 mm) 0.08 micron
Application Data	† Typical Filtrate Flux Range: Maximum Applied Feed Pressure:	20 – 65 gfd (34 – 110 l/m²/h) 73 psig (5.0 bar)


30 psig (2.0 bar) Maximum Transmembrane Pressure Instantaneous Chlorine Tolerance: 5000 ppm Maximum Chlorine Exposure: 750,000 ppm-hrs Maximum Feed Turbidity: 300 NTU Maximum Operating Temperature: 104 °F (40 °C) pH Operating Range: 4.0 - 10.0Cleaning pH Range: 1.0 - 13.0

Operating Mode: Outside to Inside Filtration Dead End or Cross flow mode

## **Typical Process Conditions**

Air Scour Rate:  $7.3 - 9.1 \text{ acfm} (12.3 - 15.4 \text{ m}^3/\text{h})$ Air Scour Duration: 120 - 240 seconds Air Scour Frequency: Once every 20 - 60 minutes

Maintenance Clean Frequency: 1 – 3 times per day Maintenance Clean Duration: 20 - 30 minutes Disinfection Chemicals: NaOCI, CIO2 or NH2CI Cleaning Chemicals: NaOH, HCI, H2SO4, or Citric Acid



A, inches (mm)	B, inches (mm)	C, inches (mm)	Pipe connections	Dry Weight	Wet Weight
92.15 (2340.6)	83.11 (2110.9)	87.90 (2232.7)	2" Victaulic	135 lbs (62 kg)	260 lbs (118 kg)

## Certifications: NSF61, NSF419 (US LT2ESWTR - Public Drinking Water Compliance)

Higher values can be treated. Consult Hydranautics' technical staff.

Typical module performance for most feedwaters.

Notice: Hydranautics also offers HYDRAcap® MAX 80-NON, which is a dummy module with no potting or fiber.
Hydranautics believes the information and data contained herein to be accurate and useful. The information and data are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. Hydranautics assumes no liability for results obtained or damages incurred through the application of the presented information and data. It is the user's responsibility to determine the appropriateness of Hydranautics' products for the user's specific end uses.





At 68°F (20°C).

<sup>\*\*</sup> For 60 minutes or less.

<sup>&</sup>lt;sup>‡</sup> The limitations shown here are for general use. The values may be more conservative for specific projects to ensure the best performance and longest life of the membrane.