

Part Number	Model Name / Description	Type	Flow		Length (A)		OUTPUT (B)		FEED O.D. (C)		Average NaCl rejection	Minimum NaCl rejection	Average MgSO4 rejection	Minimum MgSO4 rejection	Shipping Weight		Membrane Active Area		Max. Pressure		Max. Temperature	
			gpd	m <sup>3</sup> /day	inch	cm	inch	cm	inch	cm	inch	cm	%	%	%	%	lbs	kg	ft <sup>2</sup>	m <sup>2</sup>	psi	KPa
80766	<a href="#">BW30-2540</a>	Brackish Water	850	3.2	40	101.6	3.9	9.91	0.75	1.9	99.50				0.0		28	2.6	600	4136.87	113	45.0
	<a href="#">BW30-2540</a>	Brackish Water	650	2.4	40	101.6	2.4	6.10	0.75	1.9	99.00				0.0			0.0	600	4136.87	113	45.0
	<a href="#">BW30-330</a>	Brackish Water	7500	28.3	40	101.6	7.9	20.07	0.75	1.9	99.00				0.0			0.0	600	4136.87	113	45.0
80773	<a href="#">BW30-365</a>	Brackish Water	9500	35.8	40	101.6	7.9	20.07	1.125	2.9	99.50				0.0		365	33.9	600	4136.87	113	45.0
369692	<a href="#">BW30-365-IG</a>	Brackish Water	9500	35.8	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		365	33.9	600	4136.87	113	45.0
98650	<a href="#">BW30-400</a>	Brackish Water	10500	39.6	40	101.6	7.9	20.07	1.125	2.9	99.50				0.0		400	37.1	600	4136.87	113	45.0
248151	<a href="#">BW30-400-34i</a>	Brackish Water	10500	39.6	40	101.6	7.9	20.07	1.125	2.9	99.50	99.00			0.0		400	37.1	600	4136.87	113	45.0
369695	<a href="#">BW30-400-IG</a>	Brackish Water	10500	39.6	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		400	37.1	600	4136.87	113	45.0
	<a href="#">BW30-4040</a>	Brackish Water	2200	8.3	40	101.6	3.9	9.91	0.75	1.9	99.00				0.0			0.0	600	4136.87	113	45.0
80783	<a href="#">BW30-4040</a>	Brackish Water	2400	9.0	40	101.6	3.9	9.91	0.75	1.9	99.50				0.0		78	7.2	600	4136.87	113	45.0
249107	<a href="#">BW30-440i</a>	Brackish Water	11500	43.3	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		440	40.8	600	4136.87	113	45.0
174961	<a href="#">BW30FR-365</a>	Low Fouling	9500	35.8	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		365	33.9	600	4136.87	113	45.0
202681	<a href="#">BW30FR-400</a>	Brackish Water	10500	39.6	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		400	37.1	600	4136.87	113	45.0
273805	<a href="#">BW30FR-400-34i</a>	Brackish Water	10500	39.6	40	101.6	7.9	20.07	1.125	2.9	99.50	99.00			0.0		400	37.1	600	4136.87	113	45.0
	<a href="#">BW30HP-4040</a>	Brackish Water	2800	10.6	40	101.6	3.9	9.91	0.75	1.9	99.00				0.0			0.0	600	4136.87	113	45.0
	<a href="#">BW30HR-440i</a>	Brackish Water	12650	47.7	40	101.6	7.9	20.07	1.125	2.9	99.70	99.40			0.0		440	40.8	600	4136.87	113	45.0
	<a href="#">BW30LE-4040</a>	Brackish Water		0.0		0.0		0.00		0.0					0.0			0.0		0.00		0.0
	<a href="#">BW30LE-440</a>	Brackish Water	11500	43.3	40	101.6	7.9	20.07	1.5	3.8	99.00				0.0			0.0	600	4136.87	113	45.0
	<a href="#">BW30LE-440</a>	Brackish Water	11500	43.3	40	101.6	7.9	20.07	1.125	2.9	99.00				0.0		440	40.8	600	4136.87	113	45.0
347733	<a href="#">HRLE-440i</a>	Brackish Water	12650	47.7	40	101.6	7.9	20.07	1.125	2.9	99.50	99.30			0.0		440	40.8	600	4136.87	113	45.0
170701	<a href="#">HSRO-390-FF</a>	Semi-Conductor	9000	33.9	40	101.6	7.9	20.07	1.125	2.9	99.50				0.0		390	36.2	600	4136.87	113	45.0
98592	<a href="#">HSRO-4040-FF</a>	Semi-Conductor	1900	7.2	40	101.6	3.9	9.91	0.75	1.9	99.50				0.0		90	8.3	600	4136.87	113	45.0
343771	<a href="#">LC-HR-4040</a>	Brackish Water	2900	10.9	40	101.6	3.9	9.91	0.75	1.9	99.70	99.50			0.0		94	8.7	600	4136.87	113	45.0
356603	<a href="#">LC-LE-4040</a>	Brackish Water	2500	9.4	40	101.6	3.9	9.91	0.75	1.9	99.20	99.10			0.0		94	8.7	600	4136.87	113	45.0
249109	<a href="#">LE-400</a>	Brackish Water	11500	43.3	40	101.6	7.9	20.07	1.125	2.9	99.30	99.00			0.0		400	37.1	600	4136.87	113	45.0
246670	<a href="#">LE-400i</a>	Brackish Water	12650	47.7	40	101.6	7.9	20.07	1.125	2.9	99.30	99.00			0.0		440	40.8	600	4136.87	113	45.0
275173	<a href="#">LE-4040</a>	Brackish Water	2500	9.4	40	101.6	3.9	9.91	0.75	1.9	99.00				0.0		78	7.2	600	4136.87	113	45.0
246670	<a href="#">LE-440i</a>	Brackish Water	12650	47.7	40	101.6	7.9	20.07	1.125	2.9	99.30	99.00			0.0		440	40.8	600	4136.87	113	45.0
231653	<a href="#">LP-2540</a>	Brackish Water	1000	3.8	40	101.6	2.4	6.10	0.75	1.9	99.20				0.0		28	2.6	600	4136.87	113	45.0
212819	<a href="#">LP-4040</a>	Brackish Water	2900	10.9	40	101.6	3.9	9.91	0.75	1.9	99.20				0.0		78	7.2	600	4136.87	113	45.0
	<a href="#">NF200-400</a>	Nano-Filtration		0.0	40	101.6		0.0		0.0					0.0			0.0	600	4136.87	113	45.0
15138	<a href="#">NF-2540</a>	Nano-Filtration	920	3.5	40	101.6	2.4	6.1	0.75	1.9	99.00				0.0		28	2.6	600	4136.87	113	45.0
149986	<a href="#">NF270-2540</a>	Nano-Filtration	850	3.2	40	101.6	2.4	6.1	0.75	1.9	97.0				0.0		28	2.6	600	4136.87	113	45.0
148822	<a href="#">NF270-400</a>	Nano-Filtration	14700	55.4	40	101.6	7.9	20.1	1.5	3.8					0.0		400	37.1	600	4136.87	113	45.0
149987	<a href="#">NF270-4040</a>	Nano-Filtration	2500	9.4	40	101.6	3.9	9.9	0.75	1.9	97.0				0.0		82	7.6	600	4136.87	113	45.0
15144	<a href="#">NF400</a>	Nano-Filtration	13700	51.6	40	101.6	7.9	20.1	1.125	2.9					0.0		400	37.1	600	4136.87	113	45.0
15143	<a href="#">NF-4040</a>	Nano-Filtration	3050	11.5	40	101.6	3.9	9.9	0.75	1.9					0.0		82	7.6	600	4136.87	113	45.0
	<a href="#">NF-90</a>	Nano-Filtration		0.0	40	101.6		0.0		0.0					0.0			0.0	600	4136.87	113	45.0
149982	<a href="#">NF90-2540</a>	Nano-Filtration	680	2.6	40	101.6	2.4	6.1	0.75	1.9	97.0				0.0		28	2.6	600	4136.87	113	45.0
179985	<a href="#">NF90-400</a>	Nano-Filtration	7500	28.3	40	101.6	7.9	20.1	1.5	3.8	95.0	85.0			0.0		400	37.1	600	4136.87	113	45.0
149983	<a href="#">NF90-4040</a>	Nano-Filtration	2000	7.5	40	101.6	3.9	9.9	0.75	1.9	97.0				0.0		82	7.6	600	4136.87	113	45.0
	<a href="#">RO-3840-30FF</a>	Sanitary		0.0	40	101.6		0.0		0.0					0.0			0.0	600	4136.87	113	45.0
116314	<a href="#">RO-390-FF</a>	Sanitary	10800	40.7	40	101.6	7.9	20.07	1.125	2.9	99.50				0.0		390	36.2	600	4136.87	113	45.0
116314	<a href="#">RO-390-FF</a>	Sanitary	10800	40.7	40	101.6	7.9	20.1	1.125	2.9	99.5				0.0		390	36.2	600	4136.87	113	45.0
84286	<a href="#">RO-4040-FF</a>	Sanitary	2400	9.0	40	101.6	3.9	9.91	0.75	1.9	99.50				0.0		85	7.9	600	4136.87	113	45.0
84286	<a href="#">RO-4040-FF</a>	Sanitary	2400	9.0	40	101.6	3.9	9.9	0.75	1.9	99.5				0.0		85	7.9	600	4136.87	113	45.0
272569	<a href="#">SG30-400-34i</a>	Semi-Conductor	10200	38.4	40	101.6	7.9	20.07	1.125	2.9					0.0			0.0	600	4136.87	113	45.0
265606	<a href="#">SG30LE-400</a>	Semi-Conductor	9500	35.8	40	101.6	7.9	20.07	1.125	2.9	99.50	99.20			0.0		400	37.1	600	4136.87	113	45.0
	<a href="#">SG30LE-430</a>	Semi-Conductor		0.0		0.0		0.00		0.0					0.0			0.0	600	4136.87	113	45.0
272573	<a href="#">SG30LE-440i</a>	Semi-Conductor	10000	37.7	40	101.6	7.9	20.07	1.125	2.9					0.0			0.0	600	4136.87	113	45.0
80733	<a href="#">SW30-2514</a>	Sea-Water	150	0.6	14	35.6	2.4	6.10	0.75	1.9	99.40				2.0	0.9			1000	6894.78	113	45.0
80734	<a href="#">SW30-2521</a>	Sea-Water	300	1.1	21	53.3	2.4	6.10	0.75	1.9	99.40				2.6	1.2		0.0	1000	6894.78	113	45.0
80737	<a href="#">SW30-2540</a>	Sea-Water	700	2.6	40	101.6	2.4	6.10	0.75	1.9	99.40				4.9	2.2		0.0	1000	6894.78	113	45.0
113853	<a href="#">SW30-380</a>	Sea-Water	9000	33.9	40	101.6	7.9	20.1	0.75	1.9	99.40				0.0		380	35.2	1000	6894.78	113	45.0
80740	<a href="#">SW30-4021</a>	Sea-Water	600	2.3	21	53.3	3.9	9.9	0.75	1.9	99.40				6.0	2.7		0.0	1000	6894.78	113	45.0
80741	<a href="#">SW30-4040</a>	Sea-Water	1950	7.3		0.0		0.0		0.0	99.40				0.0				1000	6894.78	113	45.0
	<a href="#">SW30-6040</a>	Sea-Water	2100	7.9	40	101.6	5.97	15.2	1.5	3.8		99.0			0.0		80	7.4	1000	6894.78	113	45.0
	<a href="#">SW30-8040</a>	Sea-Water	6000	22.6	40	101.6	7.9	20.1	1.125	2.9	99.10	98.60			0.0		300	27.8	1000	6894.78	113	45.0
	<a href="#">SW30HR-2514</a>	Sea-Water	65	0.2	14	35.6	2.4	6.10	0.75	1.9	99.40				2.2	1.0		0.0	1000	6894.78	113	45.0
	<a href="#">SW30HR-2521</a>	Sea-Water	130	0.5	21	53.3	2.4	6.10	0.75	1.9	99.40				2.6	1.2		0.0	1000	6894.78	113	45.0
	<a href="#">SW30HR-2540</a>	Sea-Water	320	1.2	40	101.6	2.4	6.1	0.75	1.9	99.40				4.9	2.2		0.0	1000	6894.78	113	45.0
231995	<a href="#">SW30HR-320</a>	Sea-Water	6000	22.6	40	101.6	7.9	20.1	1.125	2.9	99.75	99.60			0.0		320					

Part Number	Model Name / Description	Type	Flow		Length (A)		OUTPUT (B)		FEED O.D. (C)		Average NaCl rejection	Minimum NaCl rejection	Average MgSO4 rejection	Minimum MgSO4 rejection	Shipping Weight		Membrane Active Area		Max. Pressure		Max. Temperature	
			gpd	m <sup>3</sup> / day	inch	cm	inch	cm	inch	cm	%	%	%	%	lbs	kg	ft <sup>2</sup>	m <sup>2</sup>	psi	KPa	°F	°C
246512	<a href="#">SW30HRLE-400i</a>	Sea-Water	7500	28.3	40	101.6	7.9	20.1	1.125	2.9	99.80	99.65			0.0		400	37.1	1200	8273.74	113	45.0
255048	<a href="#">SW30HR-LE-4040</a>	Sea-Water	1600	6.0	40	101.6	3.9	9.9	0.75	1.9	99.75	91.00			0.0		0.0	0.0	1200	8273.74	113	45.0
	<a href="#">SW30HRLE-440i</a>	Sea-Water	8200	30.9	40	101.6	7.9	20.1	1.125	2.9	99.80	99.65			0.0		440	40.8	1200	8273.74	113	45.0
259124	<a href="#">SW30ULE-400i</a>	Sea-Water	11000	41.4	40	101.6	7.9	20.1	1.125	2.9	99.70	99.55			0.0		400	37.1	1200	8273.74	113	45.0
	<a href="#">SW30ULE-440i</a>	Sea-Water	12000	45.2	40	101.6	7.9	20.1	1.125	2.9	99.70	99.55			0.0		440	40.8	1200	8273.74	113	45.0
293991	<a href="#">SW30XHR-400i</a>	Sea-Water	6000	22.6	40	101.6	7.9	20.1	1.125	2.9	99.75	99.60			0.0		400	37.1	1200	8273.74	113	45.0
	<a href="#">SW30XHR-440i</a>	Sea-Water	6600	24.9	40	101.6	7.9	20.1	1.125	2.9	99.82	99.70			0.0		440	40.8	1200	8273.74	113	45.0
219219	<a href="#">SW30XLE-400i</a>	Sea-Water	9000	33.9	40	101.6	7.9	20.1	1.125	2.9	99.70	99.60			0.0		400	37.1	1200	8273.74	113	45.0
	<a href="#">SW30XLE-440i</a>	Sea-Water	9900	37.3	40	101.6	7.9	20.1	1.125	2.9	99.70	99.60			0.0		440	40.8	1200	8273.74	113	45.0
	<a href="#">TW30-1514-10</a>	Sea-Water	10	0.0		0.0				0.00	0.0			0.0								0.0
170102	<a href="#">TW30-1812-100</a>	Drinking Water	100	0.4	11.74	29.8	1.75	4.45	0.68	1.7	90.00			0.0				0.0	300	2068.43	113	45.0
	<a href="#">TW30-1812-16</a>	Drinking Water	16	0.1	11.74	29.8	1.75	4.45	0.68	1.7	98.00			0.0				0.0	300	2068.43	113	45.0
93430	<a href="#">TW30-1812-24</a>	Drinking Water	24	0.1	11.74	29.8	1.75	4.45	0.68	1.7	98.00			0.0				0.0	300	2068.43	113	45.0
80719	<a href="#">TW30-1812-36</a>	Drinking Water	36	0.1	11.74	29.8	1.75	4.45	0.68	1.7	98.00			0.0				0.0	300	2068.43	113	45.0
80722	<a href="#">TW30-1812-50</a>	Drinking Water	50	0.2	11.74	29.8	1.75	4.45	0.68	1.7	98.00			0.0				0.0	300	2068.43	113	45.0
114731	<a href="#">TW30-1812-75</a>	Drinking Water	75	0.3	11.74	29.8	1.75	4.45	0.68	1.7	98.00			0.0				0.0	300	2068.43	113	45.0
	<a href="#">TW30-2013</a>	Tap Water	100	0.4	11.74	29.8	1.75	4.45	0.68	1.7	96.00			0.0				0.0	300	2068.43	113	45.0
80635	<a href="#">TW30-2026</a>	Tap Water	220	0.8	26	66.0	1.8	4.57	0.68	1.7	99.50			0.0			7	0.6	600	4136.87	113	45.0
80639	<a href="#">TW30-2514</a>	Tap Water	200	0.8	14	35.6	2.4	6.10	0.75	1.9	99.50			0.0			7	0.6	600	4136.87	113	45.0
80641	<a href="#">TW30-2521</a>	Tap Water	325	1.2	21	53.3	2.4	6.10	0.75	1.9	99.50			0.0			13	1.2	600	4136.87	113	45.0
	<a href="#">TW30-2527</a>	Tap Water	475	1.8	27	68.6	2.4	6.10	0.75	1.9	99.00			0.0				0.0	300	2068.43	113	45.0
80643	<a href="#">TW30-2540</a>	Tap Water	850	3.2	40	101.6	2.4	6.10	0.75	1.9	99.50			0.0			28	2.6	600	4136.87	113	45.0
80605	<a href="#">TW30-4014</a>	Tap Water	525	2.0	14	35.6	3.9	9.91	0.75	1.9	99.00			0.0			20	1.9	600	4136.87	113	45.0
80608	<a href="#">TW30-4021</a>	Tap Water	900	3.4	21	53.3	3.9	9.91	0.75	1.9	99.50			0.0			36	3.3	600	4136.87	113	45.0
80610	<a href="#">TW30-4040</a>	Tap Water	2400	9.0	40	101.6	3.9	9.91	0.75	1.9	99.50			0.0			78	7.2	600	4136.87	113	45.0
	<a href="#">TW30HP-2527</a>	Tap Water	600	2.3	27	68.6	2.4	6.10	0.75	1.9	99.00			0.0				0.0	300	2068.43	113	45.0
	<a href="#">TW30HP-2540</a>	Tap Water	650	2.4	40	101.6	2.4	6.10	0.75	1.9	99.00			0.0				0.0	300	2068.43	113	45.0
	<a href="#">TW30HP-4040</a>	Tap Water	2800	10.6	40	101.6	3.9	9.91	0.75	1.9	99.00	98.00			0.0			0.0	300	2068.43	113	45.0
	<a href="#">TW30HP-4611</a>	Tap Water	1200	4.5	11.32	28.8	4.61	11.71	0.75	1.9	99.00			0.0				0.0	600	4136.87	113	45.0
	<a href="#">TW30HP-4619</a>	Tap Water	1450	5.5	19.2	48.8	4.61	11.71	0.75	1.9	99.00			0.0				0.0	600	4136.87	113	45.0
	<a href="#">TW30HP-4641</a>	Tap Water	5200	19.6	41.31	104.9	4.61	11.71	0.75	1.9	99.00			0.0				0.0	600	4136.87	113	45.0
	<a href="#">TW30LE-4040</a>	Tap Water	2340	8.8	40	101.6	3.9	9.91	0.75	1.9	99.20			0.0			87	8.1	600	4136.87	113	45.0
154530	<a href="#">XLE-2521</a>	Low Energy	365	1.4	21	53.3	2.4	6.10	0.75	1.9	99.00			0.0			13	1.2	600	4136.87	113	45.0
154540	<a href="#">XLE-4021</a>	Low Energy	1025	3.9	21	53.3	3.9	9.91	0.75	1.9	99.00			0.0			36	3.3	600	4136.87	113	45.0
154546	<a href="#">XLE-4040</a>	Low Energy	2600	9.8	40	101.6	3.9	9.91	0.75	1.9	99.00			0.0			87	8.1	600	4136.87	113	45.0
101060	<a href="#">XLE-440</a>	Brackish Water	12700	47.9	40	101.6	7.9	20.07	1.125	2.9	99.00			0.0			440	40.8	600	4136.87	113	45.0
347731	<a href="#">XLFRL-400-34i</a>	Brackish Water	11500	43.3	40	101.6	7.9	20.07	1.125	2.9	99.40	99.20			0.0		400	37.1	600	4136.87	113	45.0