


# Bajonet™ Distribution Systems

**LENNTECH**

info@lennotech.com Tel. +31-152-610-900

www.lennotech.com Fax. +31-152-616-289


Diameter (Inches)	Top Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
13	4"-8"	5665	5688	1.5" Slip	29
14	4"-8"	5665	5688	1.5" Slip	29
16	4"-8"	5665	5688	1.5" Slip	29
18	4"-8"	5666	N/A	1.5" Slip	29
21	4"-8"	5666	5666	1.5" Slip	29
24	4"-8"	5667	5667	1.5" Slip	29
30	4" or 6"-8"	10848	5673	1.5" Slip	104
36	4" or 6"-8"	10849	5674	1.5" Slip	104



Riser tube not included

## Top Mount – 3" Riser Tube, 8 Laterals


Diameter (Inches)	Top Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
24	6" FLG	12201	N/A	3" Slip	104
30	6" FLG	5672	N/A	3" Slip	104
36	6" FLG	5673	N/A	3" Slip	104
42	6" FLG	5674	N/A	3" Slip	104
48	6" FLG	5675	N/A	3" Slip	104
63	6" FLG	13492	N/A	3" Slip	104



Riser tube not included

## Top Mount High Flow – 3" Riser Tube, 16 Laterals


Diameter (Inches)	Top Open	Part No. Composite	System Connection	Flow Rate (GPM)
30	6" FLG	11776	3" Slip	173
36	6" FLG	11778	3" Slip	173
42	6" FLG	5676	3" Slip	173
48	6" FLG	5677	3" Slip	173
63	6" FLG	13569	3" Slip	174




Riser tube not included

## Threaded Top/Bottom Mount Diffuser

Diameter (Inches)	Top Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
12-36	4"-8"	5671	5671	2" Slip	88




## Top Mount Diffuser




Diameter (Inches)	Top Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
18 - 48	6" FLG	5679	N/A	3" FNPT	88
21 - 36	6"-8"	N/A	5700	3" FNPT	88

## Top Mount High Flow Hub and Lateral




Diameter (Inches)	Top Open	Part No. Composite	System Connection	Flow Rate (GPM)
21 - 63	6" FLG	5680	3" FNPT	200
42 - 63	16" MWY	10877	3" FNPT	200

## Bottom Mount Hub and Lateral



Diameter (Inches)	Bottom Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
18	4"-8"	5669	N/A	2" Slip	100
21	4"-8"	5669	5668	2" Slip	100
24	4"-8"	5670	5669	2" Slip	100
30	4"-8"	11039	N/A	2" Slip	100
36	4"-8"	11040	N/A	2" Slip	100

## Bottom Mount Hub and Lateral




Diameter (Inches)	Bottom Open	Part No. Composite	Part No. FRP	System Connection	Flow Rate (GPM)
18	6" FLG	11790	N/A	3" FNPT	122
21	6"-8	N/A	5696	3" FNPT	122
21	6" FLG	5678	N/A	3" FNPT	122
24	6"-8	N/A	5697	3" FNPT	122
24	6" FLG	5678	N/A	3" FNPT	122
30	6"-8	N/A	5698	3" FNPT	122
30	6" FLG	5683	N/A	3" FNPT	122
36	6"-8	N/A	5699	3" FNPT	122
36	6" FLG	5684	N/A	3" FNPT	122
42	6" FLG	5686	N/A	3" FNPT	122
48	6" FLG	5686	N/A	3" FNPT	122

Note: Flow rates calculated with a 5 psi pressure drop.

# Bajonet™ Distribution Systems


## Bottom Mount High Flow

Diameter (Inches)	Bottom Open	Part No. Composite	System Connection	Flow Rate (GPM)
36	6" FLG	11892	3" FNPT	167
42	6" FLG	11663	3" FNPT	167
48	6" FLG	11665	3" FNPT	167
63	6" FLG	14248	3" FNPT	175



## Bottom Mount Fishbone


Diameter (Inches)	Bottom Open	Part No. Composite	System Connection	Flow Rate (GPM)
63	6" FLG	5687	3" FNPT	170



## Combination Kit 63" Top Side Inlet/Bottom Outlet

Size (Inches)	Bottom Opening	Top Opening	Top Side	Part No.	Side System Connection	Bottom System Connection
63 x 86	6" FLG	16" MWY	4" FLG	11190	3" MNPT	3" FNPT
63 x 116	6" FLG	16" MWY	4" FLG	11192	3" MNPT	3" FNPT
63 x 144	6" FLG	16" MWY	4" FLG	11194	3" MNPT	3" FNPT


Upper Flow Rate 130 GPM  
Lower Flow Rate 170 GPM



## Combination Kit 63" Top Side Inlet/Bottom Side Outlet

Size (Inches)	Bottom Opening	Top Opening	Top Side	Bottom Side	Part No.	Side System Connection	Bottom System Connection
63 x 86	6" FLG	16" MWY	4" FLG	4" FLG	11191	3" MNPT	3" FNPT
63 x 116	6" FLG	16" MWY	4" FLG	4" FLG	11193	3" MNPT	3" FNPT
63 x 144	6" FLG	16" MWY	4" FLG	4" FLG	11195	3" MNPT	3" FNPT

Upper Flow Rate 130 GPM  
Lower Flow Rate 170 GPM



Note: Flow rates calculated with a 5 psi pressure drop.