

PRODUCT DATA SHEET

Purofine® PFA850

Polyacrylic Gel, Chloride form,
Uniform Particle Size

PRINCIPAL APPLICATIONS

- Demineralization - Industrial

ADVANTAGES

- High regeneration efficiency
- Excellent resistance to organic fouling
- Efficient regeneration

TYPICAL PACKAGING

- 1 ft³ Sack
- 25 L Sack
- 5 ft³ Drum (Fiber)
- 1 m³ Supersack
- 42 ft³ Supersack

LENNTECH
WATER TREATMENT SOLUTIONS

TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

Polymer Structure	Gel polyacrylic crosslinked with divinylbenzene
Appearance	Spherical Beads
Functional Group	Quaternary Ammonium
Ionic Form	Cl ⁻ form
Total Capacity	1.25 eq/L (27.3 Kgr/ft ³) (Cl ⁻ form)
Moisture Retention	57 - 62 %
Mean Diameter	570 ± 50 µm
Uniformity Coefficient	1.1 - 1.2
Irreversible Swelling (max.)	10 %
Reversible Swelling, Cl ⁻ → OH ⁻ (max.)	15 %
Specific Gravity	1.09
Shipping Weight (approx.)	680 - 720 g/L (42.5 - 45.0 lb/ft ³)
Temperature Limit	35 °C (95.0 °F) (OH ⁻ form)



LENNTECH
info@lennotech.com Tel. +31-152-610-900
www.lennotech.com Fax. +31-152-616-289