

PRODUCT DATA SHEET

Purolite® IP7

Polyacrylic, Inert Polymer, Blue color, Trilite Mixed Bed System

PRINCIPAL APPLICATIONS

- Interface between Cation and Anion resins

ADVANTAGES

- Blue color, suitable for gel and macroporous mixed beds
- Separates cation and anion resin

LENNTECH
WATER TREATMENT SOLUTIONS

SYSTEMS

- Trilite Systems

TYPICAL PACKAGING

- 1 CF Box
- 5 ft³ Drum (Fiber)
- 42 ft³ Supersack

TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

| | |
|-------------------------------|---|
| Polymer Structure | Polyacrylic |
| Appearance | Spherical Beads |
| Diameter | 0.67 - 0.73 mm |
| Mean Diameter, Range | 700 ± 30 µm |
| Uniformity Coefficient (max.) | 1.2 |
| Specific Gravity | 1.12 - 1.16 |
| Shipping Weight (approx.) | 680 - 710 g/L (42.5 - 44.4 lb/ft ³) |
| Temperature Limit | 100 °C (212.0 °F) |



LENNTECH

info@lennotech.com Tel. +31-152-610-900
www.lennotech.com Fax. +31-152-616-289