


MODEL	VOLUME			D	OME VOLUM	WEIGHT		
	liters	U.S.gal	cubic FT	liters	U.S.gal	cubic FT	Kg	LBS
36x72	984	259. 97	34. 77	125. 8	33. 21	4. 44	122. 8	270. 2





- 1. TANK MUST MEET ALL APPLICABLE SPECIFICATIONS OF NSF/ANSI 044 STANDARD, LATEST REVISION.
- 2 . OPERATING SPECIFICATIONS:
 - A. MAXIMUM WORKING PRESSURE 150 PSI(10.5BAR)
 - B. TEMPERATURE RANGE - 34-120° F(1-49°C)
 - C. MAXIMUM VACUUM - 5"Hg (127mm Hg)
- 3 . VISUAL LINER INSPECTION
 - A. NO MORE THAN 10 INTERNAL OR EXTERNAL BLEMISHES OR BURNT DEBRIS.
 - B. NO INTERNAL OR EXTERNAL BLEMISHES OR BURNT DEBRIS LARGER THAN 3×3 mm.
 - C. NO INTERNAL BLEMISHES OR BURNT DEBRIS ALLOWED.
- 4. ALL GLASS STRANDS FROM FIBERGLASS LINER TO BE BONDED AND COVERED.
- 5. SURFACE TO BE FREE OF NICKS, SCRATCHES, RESIN AND GLASS.
- [6]. SURFACE FINISH.
- 7 . DIMENSIONS IN PARENTHESIS ARE REFERENCE ONLY.
- 8 . DIMENSIONS IN SQUARE PARENTHESIS ARE INCH UNIT.
- 9. TANK TO BE BONDED TO BASE.
- 10. USING A STANDARD LEVEL WITH TANK POSITIONED ON A LEVEL SURFACE, DATUM B TO BE PARALLEL WITH DATUM A. BUBBLE OF LEVEL MUST FALL COMPLETELY WITHIN LINES WHEN MEASURED AT 90° INTERVALS.

6 VERSION NO.	THIS DRAWING IS UPDA	C	IGNATURE	2008/10/28 DATE				
	L PLASTIC SHRINKAGE :	(IF	DESCRIPTION OF	CHANGES:		5	IGNATURE	DATE
	SIGNATURE		₩₩ WAVE CYBER (SHANGHAI) CO., LTD.					
	NAME	DATE	₩ ₩ 117	NVL CIDEN	(DIIII	NOIMIT) CO.,	LID.	ı
DESIGN			SCALE	MATERIAL		MODEL		
INSPECTION			1:10			DESCRIPTION		
APPROVAL			QUANTITY	SMOOTHNESS		36"F	RP PRES	SSURE VESSEI
WHIC DD	ODVICE DRAWING CAN NO	OF DE	_			(SINGLE OPENING)		NING)
	ODUCT DRAWING CAN NO		PROJECTION	COMPUTER CODE		DRAWING NO.		VERSION NO.
	COPIED AND/OR USED WITHOUT PRIOR WRITTEN APPROVAL OF WAVE CYBER.					11136	1-00	6
			DO NOT MEASURE THE DIMENSIONS.		UNIT: MM		TOTAL PAGE: 1	