

Antifoam for Seawater Distillation Plants

Description

Belite M8 antifoam is a highly effective liquid product formulated to control foaming and priming in seawater distillation plants. All components of the Belite M8 formulation are approved for use as food additives by US FDA.

Application

The foaming tendency of seawater in distillation plants is unpredictable. It is generally thought that foam is formed when organic compounds are concentrated in the brine, giving rise to surface active effects which increase the liquid film strength at phase interfaces. Belite M8 is not soluble in water. At use concentrations (0.05 - 0.1 mg/l) Belite M8 forms a micro-emulsion and during evaporation is incorporated into the surface liquid film of bubbles where it acts as a surfactant and reduces the film strength. The result is that the film readily ruptures and stable foam does not form. In this way a uniform boiling or flashing action is achieved and carry-over is minimized.

Benefits

Belite M8 can be used to control foaming in all types of seawater distillation plant and is particularly suitable for use in multi-stage flash plants. Belite M8 is a formulated product containing ethylene oxide / propylene oxide block copolymer.

Usage

*Please consult with your BWA Water Additives representative to determine optimal dosage recommendations for your system.

Packaging / Weight

Drum 440 lb 200 kg

*Consult your sales representative for availability.

Physical Properties

Appearance	Clear to pale yellow liquid
Odor	Slight
Saponification value	11.9 - 14.2 mg koh/g
Specific gravity	0.95-1 at 20/20°C
Aqueous emulsion at 20/20 °C	Readily dispersible white-milk
Viscosity	55-65mm ² /s at 25°C
Water Content	3.5% w/w maximum

Further details are available in the safety data sheet



LENNTECH

info@lennotech.com Tel. +31-152-610-900

www.lennotech.com Fax. +31-152-616-289

Patents:

BWA Water Additives (BWA) owns or is the licensee of patents and patent applications, which may cover the products and/or uses described in this brochure.

The following are registered trademarks of BWA Belclene, Belcor, Belgard, Belite, Bellacide, Bellasol, Belsperse, BromiCide, Flocon, Geogard and Liquibrom Drop and Swirl logo. ® Registered US Patent and Trademark Office. © 2016 BWA all rights reserved.

The information contained in this product sheet is based on data available to BWA Water Additives at the time of publication. While BWA has made every effort to ensure this information is correct, no responsibility can be accepted by BWA for any loss or liability occasioned by any person acting or refraining from acting as a result of the contents of this publication. BWA cannot guarantee that the results described in this information will be achieved by others if BWA has not participated in the testing process. BWA therefore makes no warranty of merchantability or fitness for a particular purpose or any express or implied warranty in respect of this information. This information is intended for use by technically trained personnel at their discretion and risk and is not a substitute for specific professional or technical advice. BWA's liability shall be limited by its standard limitations of liability contained within its standard terms and conditions of sale if BWA makes any sales to you.

© 2016 all rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means or stored in any retrieval system without the prior written permission of BWA Water Additives UK Limited. BWA Water Additives UK Limited is a private limited company registered in England and Wales at 2 Brightgate Way, Manchester M32 0TB, Registered No. 5657343.