




Multibore® Membrane

Membrane data			
Number of capillaries per fiber		7	
Diameter inner capillary (d) Multibore® 0.8	mm	0.8	
Diameter inner capillary (d) Multibore® 0.9	mm	0.9	
Diameter inner capillary (d) Multibore® 1.5	mm	1.5	
Pore size	nm	арргох. 20	
Material		PESm	
Mode of filtration		In-to-Out	

Pressure				
Membrane burst pressure Multibore® 0.8	bar	psi	>12	>175
Membrane burst pressure Multibore® 0.9	bar	psi	>12	>175
Membrane burst pressure Multibore® 1.5	bar	psi	>10	>150
Transmembrane pressure in Filtration	bar	psi	0.1 - 1.5	1.5 - 20
Transmembrane pressure in Backwash	bar	psi	0.3 - 3.0	5 - 40


Flux				
Filtration [1]	L/(m².h)	gfd	60 - 180	35 - 105
Backwash [1]	L/(m ² .h)	gfd	230	135
Backwash range	L/(m².h)	gfd	230 - 300	135 - 175

Chemicals		
Sodium hypochlorite (NaOCl)	ppm	max. 500
	ppm x h	max. 250,000 (at pH ≥ 9.5)
Hydrogen peroxide (H ₂ O ₂)	ppm	max. 500
Caustic Soda pH		max. 13
Acid pH		min. 1



[1] Typical.

Multibore® Membrane



Contact



Note

The descriptions, designs, data and product information contained herein are presented in good faith and are based on inge GmbH's current knowledge and experience. inge GmbH cannot accept any liability for the accuracy of this product information, which is provided at no charge and for guidance only. inge® products are designed to be operated in accordance with the corresponding inge® product documentation. The product information and products are protected by copyright and/or other intellectual property laws worldwide. However, inge GmbH cannot guarantee that the product information and products can be used without infringing third party intellectual property rights. The products and product information may only be used, distributed and marketed with the express prior permission of inge GmbH. No warranties of any kind regarding the products, either expressed or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose or no third party rights are made, other than as expressly set out in the contractual agreement with the customer. Mechanical stability and full functionality of inge® products can only be provided by genuine inge® parts. inge GmbH reserves the right to modify products and product information at any time without prior information. Current product information can be obtained from the website www.dupontwatersolutions.com