LENNTECH

info@lenntech.com Tel. +31-152-610-900 www.lenntech.com Fax. +31-152-616-289

Safety data sheet according to 1907/2006/EC

Version number 9

Revision: 06.11.2015

SECTION 1: Identification of the substance/mixture and of the company undertaking

· 1.1 Product identifier

· Trade name: Testomat-Indikator Typ 300

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the preparation: Reagent for analysis

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Gebrüder Heyl Analysentechnik GmbH & Co. KG Orleansstraße 75 b D-31135 Hildesheim

Phone +49 (0) 5121 2893390 Fax +49 (0) 5121 2893367 E-Mail info@heyl.de Internet www.heyl.de

• Further information obtainable from: product safety department

- **1.4 Emergency telephone number:** Giftinformationszentrum Nord
- Phone +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. • Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.
- · Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



· Signal word Warning

· Hazard statements Void

· Precautionary statements Void

(Contd. on page 2)

EU

Printing date 06.11.2015

Version number 9

Revision: 06.11.2015

Trade name: Testomat-Indikator Typ 300

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No 1272/2008.

 Dangerous components: 		
CAS: 110-97-4 EINECS: 203-820-9 Index number: 603-083-00-7 Reg.nr.: 01-2119475444-34	1,1'-iminodipropan-2-ol	10-<25%
CAS: 15708-48-2 EINECS: 239-803-8	Ethylendiamintetraacetic acid dipotassiummagnesium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<i>0,1-</i> <u>≤</u> 2,5%
CAS: 547-58-0 EINECS: 208-925-3	sodium 4-(4-dimethylaminophenylazo) benzenesulphonate � Acute Tox. 3, H301	<i>0,1-<u>≤</u>2,5%</i>

• SVHC Not applicable.

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing:

A person vomiting while laying on their back should be turned onto their side. Rinse out mouth and then drink plenty of water. Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.
- SECTION 5: Firefighting measures
- · 5.1 Extinguishing media
- Suitable extinguishing agents:
 CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Nitrogen oxides (NOx)

(Contd. on page 3)

EU

Printing date 06.11.2015

Version number 9

Revision: 06.11.2015

Trade name: Testomat-Indikator Typ 300

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Clean the affected area carefully; suitable cleaners are: Warm water
 6.4 Reference to other sections See Section 7 for information on sefe bandling
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· Recommended storage temperature: 15 - 25 °C

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working.

· Respiratory protection: Not required.

(Contd. on page 4)

(Contd. of page 2)

Version number 9

Revision: 06.11.2015

(Contd. of page 3)

Trade name: Testomat-Indikator Typ 300

· Protection of hands:



Protective gloves

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves


The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: $\geq 0,4$ mm

Value for the permeation: Level = 6 (> 480 min) • As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0,12$ mm Value for the permeation: Level = 2 (> 30 min)





Tightly sealed goggles according to EN 166

· Body protection: Protective work clothing

SECTION 9. Ph	ysical and chemical	nronerties
	ysical and chemical	properties

· 9.1 Information on basic physical a	and chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Green	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value (100 g/l) at 20 °C:	10,9	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
		(Contd. on page 5)

EU

Printing date 06.11.2015

Version number 9

Revision: 06.11.2015

Trade name: Testomat-Indikator Typ 300

	(Contd. of page
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1,11 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
 Evaporation rate 	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/	water): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Exothermic neutralisation reaction with acids. Under certain conditions possible formation of nitrosamines in the presence of nitrites or reagents causing nitrosation.
 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.3 Possibility of hazardous reactions to dangerous reactions know
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:
- Acids, nitrites, reagents causing nitrosation.
- Do not use tools made of aluminium or copper or their alloys.
- 10.6 Hazardous decomposition products: Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 110-97-4 1,1'-iminodipropan-2-ol

Oral LD50 4770 mg/kg (rat)

CAS: 15708-48-2 Ethylendiamintetraacetic acid dipotassiummagnesium salt

Oral LD50 > 2000 mg/kg (rat)

CAS: 547-58-0 sodium 4-(4-dimethylaminophenylazo)benzenesulphonate

Oral LD50 60 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 06.11.2015

Version number 9

Revision: 06.11.2015

(Contd. of page 5)

Trade name: Testomat-Indikator Typ 300

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	

Printing date 06.11.2015

Version number 9

Revision: 06.11.2015

Trade name: Testomat-Indikator Typ 300

	(Contd. of page 6)
 14.7 Transport in bulk according to Annex I of Marpol and the IBC Code 	l Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

- · Department issuing MSDS: product safety department.
- · Contact:
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • * Data compared to the previous version altered.

Lenntech

info@lenntech.com Tel. +31-152-610-900 www.lenntech.com Fax. +31-152-616-289